41,978.÷
30.=
1,399.26666666*

1,399.26666666×
10.%
139.92666666666*

139.92666666+
1,539.19333332*

ANGLE

PRETREATMENT MONITORING REPORT

NAME: THE STANLEY WORKS

ADDRESS: 480 MYRTLE STREET, NEW BRITAIN, CT 06053

FACILITY LOCATION: 139 CHAPEL STREET, NEWARK, NJ 07105

CATEGORY & SUBPART: UNKNOWN **OUTLET#:** 1

CONTACT OFFICIAL: DEBI GEYER **TELEPHONE:** 860-827-5414

NEW CUSTOMER ID/OUTLET ID: 20630009 – 1 **OLD OUTLET DESINGATION:**

MONITORING PERIOD

START			END		
11	01	08	11	30	08
MO	DAY	YR	MO	DAY	YR

	Average	Maximum
Regulated Flow-gal/day		
Total Flow-gal/day	1,399.27	1,539.19

Method Used: Flow based on total month divided by operational days.
Maximum = Average + 10% (see Table 2)

Production Rate (if applicable)

PARAMETER		MASS OR CONCENTRATION			# OF SAMPLES	SAMPLE TYPE
		MON AVG	MAXIMUM	UNITS		COMP/GRAB
BIOCHEMICAL OX	Sample Measurement	5.1				Composite
	Permit Requirement			MG/L		
CADMIUM	Sample Measurement	NA				Composite
	Permit Requirement	0.19		MG/L		
COPPER	Sample Measurement	NA				Composite
	Permit Requirement	3.02		MG/L		
LEAD	Sample Measurement	NA				Composite
	Permit Requirement	0.54		MG/L		
MERCURY	Sample Measurement	NA				Composite
	Permit Requirement	0.080		MG/L		
NICKEL	Sample Measurement	NA				Composite
	Permit Requirement	5.9		MG/L		
ZINC	Sample Measurement	0.075				Composite
	Permit Requirement	1.67		MG/L		
PETROLEUM HYDR	Sample Measurement	0.1J				Grab
	Permit Requirement		100	MG/L		
TOTAL TOXIC OR	Sample Measurement	0.01702				Grab
	Permit Requirement			MG/L		

PRETREATMENT MONITORING REPORT

Certification of Non-Use if applicable (use additional sheets): Not Applicable

Compliance or non compliance statement with compliance schedule (use additional sheets if necessary) for every parameter used: The former Stanley Tools Facility is in compliance with PVSC requirements.

Explain Method for preserving samples: TTVO with HCl

Metals with HNO_3

TPH with HCl

I certify under penalty of law that this document and attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that thee are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988

Debi J. Geyer

Signature of Principal Executive or Authorized Agent

Debi Geyer

Director, Environmental Health Safety and Security

Type Name and Title

December 10, 2008

Date

PVSC FORM MR-1 REV: 5 3/91 P2

Table 2 - November 2008 Effluent Flow Calculations
Former Stanley Tools Facility
139 Chapel Street
Newark, New Jersey

Current Monthly Effluent Totalizer (Gallons)		4,129,025	
Effluent Totalizer Reading from Previous Month (Gallons)	(minus) -	4,087,047	
	=	41,978	**Gallons for Current Month**
Days in Current Month	(divided) /	30	
	=	1,399.27	**Total Flow Gallons/Day Average**
	(add) +	139.93	**10% Maximum Factor**
	=	1,539.19	**Total Flow Gallons/Day Maximum**

ANALYTICAL LABORATORY SERVICES, INC.
www.analyticallab.com
NELAP Accredited
PA 22-293 NJ PA010
ACCREDITED IN ACCORDANCE WITH nelac
34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9764823 Stanley Tool 11/21/2008

Lab ID: **9764823001** Date Collected: 11/21/2008 13:11 Matrix: Waste Water

Sample ID: **Effluent Composite** Date Received: 11/22/2008 12:30

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
WET CHEMISTRY										
Biochemical Oxygen Demand	5.1		mg/L	2.0	SM20-5210 B			11/23/08 14:07	NJA	A
METALS										
Zinc, Total	0.075		mg/L	0.010	EPA 200.7	12/1/08	MNP	12/3/08 01:06	JWK	B1

Sample Comments:

Anna G Milliken
Laboratory Manager

Analytical Laboratory Services, Inc.
Environmental • Industrial Hygiene • Field Services
34 Dogwood Lane • Middletown, PA 17057 • 717.944.5541 • Fax: 717.944.1430

CHAIN OF CUSTODY/ REQUEST FOR ANALYSIS

Generated by ALSI

9764823

1 of 1

ALL SHADED AREAS MUST BE COMPLETED BY THE CLIENT / SAMPLER. INSTRUCTIONS ON THE BACK.

Client Name: Shaw E & I Inc.
Address: 200 Horizon Center Boulevard
Trenton, NJ 08691
Contact: Jodie Spolsky
Phone#: (609) 588-6491
Project Name/#: Stanley Tool Monthly (QU58604)
Bill To: Shaw E & I Inc.

TAT [X] Normal-Standard TAT is 10-12 business days.
[ ] Rush-Subject to ALSI approval and surcharges.
Date Required: _____ Approved By: _____
Email? [x] -Y matt.noblet@shawgrp.com
Fax? [ ] -Y No.:

Container Type:	AW	CG	—	PL	PL						
Container Size	1 L	40 ml	—	500 ml	1 L						
Preservative	H2SO4	HCl	—	HNO3	None						

ANALYSES/METHOD REQUESTED

Sample Description/Location (as it will appear on the lab report)	Sample Date	Time	*G or C	**Matrix	TPH 418.1	VOC 624	Field pH	Metals (Zn)	BOD						
					Enter Number of Containers Per Sample or Field Results Below.										
1 Effluent	11/21/08	15:45	C	WW				1	1						
2 Effluent	11/21/08	15:30	G	WW	2	2	x6.36								
3 Influent	11/21/08	15:35	G	WW		2									
4															
5															
6															
7					CAL STD 4.0/7.0/10.0 - CAL STD = 4.03										
8															
9															
10															

Cooler Temp: 3c Therm ID: 5023559
No. of Coolers: _____

	Y	N	Initial
Custody Seals Present?			
(If present) Seals Intact?			
Received on Ice?	✓		
COC/Labels Complete/Accurate?	✓		
Cont. in Good Cond.?	✓		
Correct Containers?	✓		
Correct Sample Volumes?	✓		
Correct Preservation?	✓		
Headspace/Volatiles?			

Courier/Tracking #:

Sample/COC Comments
Comp Start: 11/20/08 12:45
Comp End: 11/21/08 13:11

ALSI Field Services: [ ] Pickup [ ] Labor
[X] Composite Sampling [ ] Rental Equipment
[ ] Other:

Project Comments: Report J values. Effluent 624 VOC includes Acrolein and Acryolonitrile.

LOGGED BY(signature): _____ DATE 11/24/08 TIME 1105
REVIEWED BY(signature): K. Workman DATE 12/2/08 TIME 1640

Relinquished By / Company Name	Date	Time	Received By / Company Name	Date	Time
1 Cheryl Fodor	11/21/08	19:30	2 ALSI	11/22/08	12:30
3			4		
5			6		
7			8		
9			10		

Data Deliverables: [X] Standard [ ] CLP-like [ ] USACE [ ]
Special Processing: USACE [ ] Navy [ ]
State Samples Collected In: [ ] NY [X] NJ [ ] PA [ ] NC [ ]
Reportable to PADEP? Yes [ ]
PWSID #
Sample Disposal: Lab [X] Special [ ]
EDDS: Format Type:

* G=Grab; C=Composite **Matrix - Al=Air; DW=Drinking Water; GW=Groundwater; Ol=Oil; OL=Other Liquid; SL=Sludge; SO=Soil; WP=Wipe; WW=Wastewater

Copies: WHITE - ORIGINAL CANARY - CUSTOMER MAILING PINK - FILE GOLDENROD - CUSTOMER COPY

Rev 8/04

Analytical Laboratory Services, Inc.
34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430
www.analyticallab.com
NELAP Accredited PA 22-293 NJ PA010
ACCREDITED IN ACCORDANCE WITH nelac

Table 1 - November 2008 Total Volatile Organic Compounds
Concentrations and Removal Efficiency
Former Stanley Tools Facility
139 Chapel Street
Newark, New Jersey

Compound	Units	Influent	Effluent
Acrolein	µg/L	NA	25U
Acrylonitrile	µg/L	NA	5U
Benzene	µg/L	**15.1**	1U
Bromodichloromethane	µg/L	1U	1U
Bromoform	µg/L	1U	1U
Bromomethane	µg/L	1U	1U
Carbon Tetrachloride	µg/L	1U	1U
Chlorobenzene	µg/L	1U	1U
Chlorodibromomethane	µg/L	1U	1U
Chloroethane	µg/L	1U	1U
2-Chloroethylvinyl Ether	µg/L	3U	3U
Chloroform	µg/L	1U	1U
Chloromethane	µg/L	1U	1U
1,2-Dichlorobenzene	µg/L	1U	1U
1,3-Dichlorobenzene	µg/L	1U	1U
1,4-Dichlorobenzene	µg/L	1U	1U
1,1-Dichloroethane	µg/L	**0.12J**	1U
1,2-Dichloroethane	µg/L	1U	1U
1,1-Dichloroethene	µg/L	1U	1U
trans-1,2-Dichloroethene	µg/L	1U	1U
1,2-Dichloropropane	µg/L	1U	1U
cis-1,3-Dichloropropene	µg/L	1U	1U
trans-1,3-Dichloropropene	µg/L	1U	1U
Ethylbenzene	µg/L	**1.8**	1U
Methylene Chloride	µg/L	1U	1U
1,1,2,2-Tetrachloroethane	µg/L	1U	1U
Tetrachloroethene	µg/L	0.80U	0.80U
Toluene	µg/L	1U	1U
1,1,1-Trichloroethane	µg/L	1U	1U
1,1,2-Trichloroethane	µg/L	1U	1U
Trichloroethene	µg/L	1U	1U
Trichlorofluoromethane	µg/L	1U	1U
Vinyl Chloride	µg/L	1U	1U
Total VOCs (Total Toxic Organics)	**µg/L**	**17.02**	**0**
Total VOCs (Total Toxic Organics)	**mg/L**	**0.01702**	**0**
Percent Removal Efficiency		**100.00%**	

Notes:
µg/L = Micrograms per liter.
mg/L = Milligrams per liter.
U = Analyte not detected.
J = Estimated value.

ANALYTICAL LABORATORY SERVICES, INC.
www.analyticallab.com
NELAP Accredited
PA 22-293 NJ PA010
ACCREDITED IN ACCORDANCE WITH nelac
34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

Certificate of Analysis

Project Name:	2008 STANLEY TOOLS WW	Workorder:	9764823
Purchase Order:		Workorder ID:	Stanley Tool 11/21/2008

Ms. Jodie Spolsky
Shaw E & I Inc.-Trenton NJ
200 Horizon Center Blvd.
Trenton, NJ 08691

December 5, 2008

Dear Ms. Spolsky,

Enclosed are the analytical results for samples received by the laboratory on Saturday, November 22, 2008

ALSI is a National Environmental Laboratory Accreditation Conference (NELAC) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAC.

If you have any questions regarding this certificate of analysis, please contact Anna Milliken (Project Coordinator) or Anna G Milliken (Laboratory Manager) at (717) 944-5541.

Please visit us at www.analyticallab.com for a listing of ALSI's NELAC accreditations and Scope of Work, as well as other links to Water Quality documentation on the internet.

This laboratory report may not be reproduced, except in full, without the written approval of ALSI.

NOTE: ALSI has changed the report generation tool and while we have tried to retain the existing format, you will notice some changes in the laboratory report. Please feel free to contact ALSI in case you have any questions.

Analytical Laboratory Services, Inc.

CC: Mr. Matt Noblet

This page is included as part of the Analytical Report and must be retained as a permanent record thereof.

Anna G Milliken
Laboratory Manager

ANALYTICAL LABORATORY SERVICES, INC.
www.analyticallab.com
NELAP Accredited
PA 22-293 NJ PA010
ACCREDITED IN ACCORDANCE WITH nelac
34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

SAMPLE SUMMARY

Workorder: 9764823 Stanley Tool 11/21/2008 Discard Date: 12/19/2008

Lab ID	Sample ID	Matrix	Date Collected	Date Received	Collected By
9764823001	Effluent Composite	Waste Water	11/21/08 13:11	11/22/08 12:30	Cheryl Fodor
9764823002	Effluent Grab	Waste Water	11/21/08 15:30	11/22/08 12:30	Cheryl Fodor
9764823003	Influent Grab	Waste Water	11/21/08 15:35	11/22/08 12:30	Cheryl Fodor

Workorder Comments:

Notes

-- Samples collected by ALSI personnel are done so in accordance with the procedures set forth in the ALSI Field Sampling Plan (20 - Field Services Sampling Plan).
-- All Waste Water analyses comply with methodology requirements of 40 CFR Part 136.
-- All Drinking Water analyses comply with methodology requirements of 40 CFR Part 141.
-- Unless otherwise noted, all quantitative results for soils are reported on a dry weight basis.
-- The Chain of Custody document is included as part of this report.

Standard Acronyms/Flags

J, B	Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte
U	Indicates that the analyte was Not Detected (ND)
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
RDL	Reporting Detection Limit
ND	Not Detected - indicates that the analyte was Not Detected at the RDL
Cntr	Analysis was performed using this container
RegLmt	Regulatory Limit
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
DUP	Sample Duplicate
%Rec	Percent Recovery
RPD	Relative Percent Difference

ANALYTICAL LABORATORY SERVICES, INC.
www.analyticallab.com
NELAP Accredited
PA 22-293 NJ PA010
ACCREDITED IN ACCORDANCE WITH nelac
34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9764823 Stanley Tool 11/21/2008

Lab ID: **9764823002** Date Collected: 11/21/2008 15:30 Matrix: Waste Water

Sample ID: **Effluent Grab** Date Received: 11/22/2008 12:30

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acrolein	25.0 U		ug/L	25.0	EPA 624			12/1/08 20:19	JAH	A
Acrylonitrile	5.0 U		ug/L	5.0	EPA 624			12/1/08 20:19	JAH	A
Benzene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Bromodichloromethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Bromoform	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Bromomethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Carbon Tetrachloride	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Chlorobenzene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Chlorodibromomethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Chloroethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
2-Chloroethylvinyl ether	3.0 U		ug/L	3.0	EPA 624			12/1/08 20:19	JAH	A
Chloroform	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Chloromethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
1,2-Dichlorobenzene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
1,3-Dichlorobenzene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
1,4-Dichlorobenzene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
1,1-Dichloroethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
1,2-Dichloroethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
1,1-Dichloroethene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
trans-1,2-Dichloroethene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
1,2-Dichloropropane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
cis-1,3-Dichloropropene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
trans-1,3-Dichloropropene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
1,3-Dichloropropene, Total	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Ethylbenzene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Methylene Chloride	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
1,1,2,2-Tetrachloroethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Tetrachloroethene	0.80 U		ug/L	0.80	EPA 624			12/1/08 20:19	JAH	A
Toluene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
1,1,1-Trichloroethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
1,1,2-Trichloroethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Trichloroethene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Trichlorofluoromethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Vinyl Chloride	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:19	JAH	A
Surrogate Recoveries	*Results*	*Flag*	*Units*	*Limits*	*Method*	*Prepared*	*By*	*Analyzed*	*By*	*Cntr*
1,2-Dichloroethane-d4 (S)	87		%	72-142	EPA 624			12/1/08 20:19	JAH	A
4-Bromofluorobenzene (S)	95.3		%	73-119	EPA 624			12/1/08 20:19	JAH	A
Dibromofluoromethane (S)	86.2		%	74-132	EPA 624			12/1/08 20:19	JAH	A
Toluene-d8 (S)	99.5		%	75-133	EPA 624			12/1/08 20:19	JAH	A
WET CHEMISTRY										
Total Petroleum HC's(NonPolar)	0.1J		mg/L	0.4	EPA 418.1	12/5/08	MPP	12/5/08 12:15	MPP	C1
FIELD PARAMETERS										

ANALYTICAL LABORATORY SERVICES, INC.
www.analyticallab.com
NELAP Accredited
PA 22-293 NJ PA010
ACCREDITED IN ACCORDANCE WITH nelac
34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9764823 Stanley Tool 11/21/2008

Lab ID: **9764823002** Date Collected: 11/21/2008 15:30 Matrix: Waste Water

Sample ID: **Effluent Grab** Date Received: 11/22/2008 12:30

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
pH, Field (EPA 150.1)	6.36		pH_Units		150.1/4500B			11/21/08 15:30	CLT	E

Sample Comments:

Anna G Milliken
Laboratory Manager

ANALYTICAL LABORATORY SERVICES, INC.
www.analyticallab.com
NELAP Accredited
PA 22-293 NJ PA010
ACCREDITED IN ACCORDANCE WITH nelac
34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9764823 Stanley Tool 11/21/2008

Lab ID: **9764823003** Date Collected: 11/21/2008 15:35 Matrix: Waste Water

Sample ID: **Influent Grab** Date Received: 11/22/2008 12:30

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Benzene	15.1		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Bromodichloromethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Bromoform	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Bromomethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Carbon Tetrachloride	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Chlorobenzene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Chlorodibromomethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Chloroethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
2-Chloroethylvinyl ether	3.0 U		ug/L	3.0	EPA 624			12/1/08 20:53	JAH	A
Chloroform	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Chloromethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
1,2-Dichlorobenzene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
1,3-Dichlorobenzene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
1,4-Dichlorobenzene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
1,1-Dichloroethane	0.12J		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
1,2-Dichloroethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
1,1-Dichloroethene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
trans-1,2-Dichloroethene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
1,2-Dichloropropane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
cis-1,3-Dichloropropene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
trans-1,3-Dichloropropene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Ethylbenzene	1.8		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Methylene Chloride	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
1,1,2,2-Tetrachloroethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Tetrachloroethene	0.80 U		ug/L	0.80	EPA 624			12/1/08 20:53	JAH	A
Toluene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
1,1,1-Trichloroethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
1,1,2-Trichloroethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Trichloroethene	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Trichlorofluoromethane	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Vinyl Chloride	1.0 U		ug/L	1.0	EPA 624			12/1/08 20:53	JAH	A
Surrogate Recoveries	*Results*	*Flag*	*Units*	*Limits*	*Method*	*Prepared*	*By*	*Analyzed*	*By*	*Cntr*
1,2-Dichloroethane-d4 (S)	86.8		%	72-142	EPA 624			12/1/08 20:53	JAH	A
4-Bromofluorobenzene (S)	89.4		%	73-119	EPA 624			12/1/08 20:53	JAH	A
Dibromofluoromethane (S)	86.2		%	74-132	EPA 624			12/1/08 20:53	JAH	A
Toluene-d8 (S)	97.6		%	75-133	EPA 624			12/1/08 20:53	JAH	A

Sample Comments:

ANALYTICAL LABORATORY SERVICES, INC.
www.analyticallab.com
NELAP Accredited
PA 22-293 NJ PA010
ACCREDITED IN ACCORDANCE WITH nelac
34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9764823 Stanley Tool 11/21/2008

Lab ID:	**9764823003**	Date Collected:	11/21/2008 15:35	Matrix:	Waste Water
Sample ID:	**Influent Grab**	Date Received:	11/22/2008 12:30		

Parameters	Results	Flag	Units	RDL	Method	Prepared	By	Analyzed	By	Cntr

Anna G Milliken
Laboratory Manager

Shaw Environmental, Inc.
200 Horizon Center Boulevard
Trenton, NJ 08691-1904
609.584.8900
Fax: 609.588.6300

Shaw™ Shaw Environmental, Inc.

Letter of Transmittal

Date: December 10, 2008

To: Angela Dees
Industrial and Pollution Control
Passaic Valley Sewerage Commissioners
600 Wilson Avenue
Newark, NJ 07105
Phone: 973.344.1800

+

- ☐ Next Day Air Priority Overnight (8 a.m. UPS)
- ☒ Next Day Air Overnight (10 a.m. UPS)
- ☐ Next Day Saver Overnight (3 p.m. UPS)
- ☐ 2-Day Overnight (UPS)
- ☐ Regular Mail (USPS)
- ☐ Hand Delivery - Received by: _____ Print name: _____

We are sending you the following items: ☒ Enclosed ☐ Under Separate Cover

No.	Description
1	November 2008 PVSC Surcharge Monitoring Report 139 Chapel Street, Newark, New Jersey

These are transmitted as checked below:

- ☐ For your information
- ☒ As Requested
- ☐ For your use
- ☐ For Approval
- ☐ Approved as noted
- ☐ For Review

Remarks: If there are any questions regarding the attached monthly surcharge monitoring report please feel free to contact me at 609-588-6491.

Project/WBS: 130879.01000000

Signed _____

Name (Print) Matt Noblet

Copy to: Debi Geyer – The Stanley Works
File

☐ Transmittal Only ☒ Entire Package

Shaw Environmental, Inc.
200 Horizon Center Boulevard
Trenton, NJ 08691-1904
609.584.8900
Fax: 609.588.6300

Shaw™ Shaw Environmental, Inc.

Letter of Transmittal

Date: December 10, 2008

To: Debi Geyer
Director, Environmental Health
Safety and Security
The Stanley Works
Route 2, Briggs Drive
East Greenwich, RI 02818

Phone: 401.471.4336 (ex 32336)

- ☐ Next Day Air Priority Overnight (8 a.m. UPS)
- ☐ Next Day Air Overnight (10 a.m. UPS)
- ☐ Next Day Saver Overnight (3 p.m. UPS)
- ☒ 2-Day Overnight (UPS)
- ☐ Regular Mail (USPS)
- ☐ Hand Delivery - Received by: _____
  Print name: _____

We are sending you the following items: ☒ Enclosed ☐ Under Separate Cover

No.	Description
1	November 2008 PVSC Surcharge Monitoring Report 139 Chapel Street, Newark, New Jersey

These are transmitted as checked below:

- ☐ For your information
- ☒ As Requested
- ☐ For your use
- ☐ For Approval/Signature
- ☐ Approved as noted
- ☐ For Review

Remarks: _____

Project/WBS: 130879-01000000

Signed _____

Name (Print) Matt Noblet

Copy to: File

☐ Transmittal Only ☒ Entire Package